Hök, B., see Jansson, M. 626(1992)310
Hoskovec, M., see Koutek, B. 626(1992)215
Hušek, P., see Liebich, H. M. 626(1992)289
Huynh, T. K. X., Kuhn, A. O. and Lederer, M.
Adsorption chromatography on cellulose. VIII. The salting-out behaviour of some peptides with aromatic groups 626(1992)301
Ip, D. P., see Qin, X.-Z. 626(1992)251
Ip, D. P., see Tsai, E. W. 626(1992)245
Ito, S., Ota, A., Yamamoto, K. and Kawashima, Y.
Resolution of the enantiomers of thiol compounds by reversed-phase liquid chromatography using chiral derivatization with 2,3,4,6-tetra-O-acetyl-β-D-glucopyranosyl isothiocyanate 626(1992)187
Jackson, P. E., see Krol, J. 626(1992)165
Janjić, T. J., Živković, V., Vučković, G. and Čelap, M. B.
Salting-out thin-layer chromatography of transition metal complexes. II. Mixed aminocarboxylatocobalt(III) complexes on a polyacrylonitrile sorbent 626(1992)305
Jansson, M., Emmer, Å., Roeraade, J., Lindberg, U. and Hök, B.
Micro vials on a silicon wafer for sample introduction in capillary electrophoresis 626(1992)310
Jenkins, T. J., Kaplan, M., Davidson, G., Healy, M. A. and Poliakoff, M.
Dramatic advances in on-line Fourier transform IR detection for capillary supercritical fluid chromatography 626(1992)53
Kaplan, M., see Jenkins, T. J. 626(1992)53
Kataoka, H., Nagao, K., Nabeshima, N., Kiyama, M. and Makita, M.
Selective determination of secondary amino acids as their N-dimethylthiophosphoryl methyl ester derivatives by gas chromatography with flame photometric detection 626(1992)239
Kawashima, Y., see Ito, S. 626(1992)187
Kažoka, H. A. and Shatz, V. D.
High-performance liquid chromatography of some purine and pyrimidine derivatives on silica in formamide–ethyl acetate mobile phases 626(1992)181
Kearney, G. A., see Glennon, J. D. 626(1992)277
Kientz, C. E., Verweij, A., De Jong, G. J. and Brinkman, U. A. T.
Flame-based thermionic detection coupled on-line with microcolumn liquid chromatography. I. Optimization of the system 626(1992)59
Kientz, C. E., Verweij, A., De Jong, G. J. and Brinkman, U. A. T.
Flame-based thermionic detection coupled on-line with microcolumn liquid chromatography. II. Characterization of the system 626(1992)71
Kitts, D. D., see Aoyama, R. G. 626(1992)271
Kiyama, M., see Kataoka, H. 626(1992)239
Konečný, K., see Koutek, B. 626(1992)215
Koutek, B., Hoskovec, M., Konečný, K. and Vrkoč, J.
Gas chromatographic determination of vapour pressures of pheromone-like acetates 626(1992)215
Krol, J., Alden, P. G., Morawski, J. and Jackson, P. E.
Ion chromatography of alkylamines and alkanolamines using conductivity detection 626(1992)165
Kuhn, A. O., see Huynh, T. K. X. 626(1992)301
Kwakkenbos, G. T. C., see Van Leuken, R. G. J. 626(1992)81
Langer, S. H., see Deng, Z. 626(1992)159
Lederer, M., see Huynh, T. K. X. 626(1992)301
Lercker, G., see Bortolomeazzi, R. 626(1992)109
Liebich, H. M., Gesele, E., Wahl, H. G., Wirth, C., Wöll, J. and Hušek, P.
Identification of side-products formed by derivatization of 2-hydroxycarboxylic acids with methyl and ethyl chloroformate 626(1992)289
Liem, A. K. D., see Van der Velde, E. G. 626(1992)135
Lindberg, U., see Jansson, M. 626(1992)310
Liu, X., see Lou, X. 626(1992)231
Lores, M., see Cela, R. 626(1992)117
Lou, X., Liu, X., Zhu, D., Wang, Q. and Zhou, L.
Investigation of the effect of acylation on the enantiomeric separation of amino acid isopropyl esters by gas chromatography 626(1992)231
Lu, H. H., see Tsai, E. W. 626(1992)245
Makita, M., see Kataoka, H. 626(1992)239
Maloň, P., see Plešek, J. 626(1992)197
McErlane, K. M., see Aoyama, R. G. 626(1992)271
Mentasti, E., see Sarzanini, C. 626(1992)151
Modin, R., see Castledine, J. B. 626(1992)127
Mondini, R., see De Paoli, M. 626(1992)145
Morawski, J., see Krol, J. 626(1992)165
Nabeshima, N., see Kataoka, H. 626(1992)239
Nagao, K., see Kataoka, H. 626(1992)239
Nakashima, K., see Akiyama, S. 626(1992)266
Nesterenko, P. N.
New developments in ion exchange —materials, fundamentals and applications (edited by M. Abe, T. Kataoka and T. Suzuki) (Book Review) 626(1992)315
Ogorka, J., Schwinger, G., Bruat, G. and Seidel, V.
On-line coupled reversed-phase high-performance liquid chromatography–gas chromatography–mass spectrometry. A powerful tool for the identification of unknown impurities in pharmaceutical products 626(1992)87
Ota, A., see Ito, S. 626(1992)187
Persson, P., see Dalene, M. 626(1992)284
Pezzoni, A., see De Paoli, M. 626(1992)145
Pizzale, L., see Bortolomeazzi, R. 626(1992)109
Plešek, J., Grüner, B. and Maloň, P.
Liquid chromatographic resolution of enantiomers of deltahedral carborane and metallaborane derivatives 626(1992)197
Poliakoff, M., see Jenkins, T. J. 626(1992)53
Qin, X.-Z., Ip, D. P. and Tsai, E. W.
Determination and rotamer separation of enalapril maleate by capillary electrophoresis 626(1992)251
Roeraade, J., see Jansson, M. 626(1992)310
Rosset, R., see Thiébaut, D. 626(1992)41
Sacchero, G., see Sarzanini, C. 626(1992)151
Sarzanini, C., Sacchero, G., Aceto, M., Abollino, O. and Mentasti, E.
Simultaneous determination of methyl-, ethyl-, phenyl- and inorganic mercury by cold vapour atomic absorption spectrometry with on-line chromatographic separation 626(1992)151

Hök, B., see Jansson, M. 626(1992)310
Hoskovec, M., see Koutek, B. 626(1992)215
Hušek, P., see Liebich, H. M. 626(1992)289
Huynh, T. K. X., Kuhn, A. O. and Lederer, M.
Adsorption chromatography on cellulose. VIII. The salting-out behaviour of some peptides with aromatic groups 626(1992)301
Ip, D. P., see Qin, X.-Z. 626(1992)251
Ip, D. P., see Tsai, E. W. 626(1992)245
Ito, S., Ota, A., Yamamoto, K. and Kawashima, Y.
Resolution of the enantiomers of thiol compounds by reversed-phase liquid chromatography using chiral derivatization with 2,3,4,6-tetra-O-acetyl-β-D-glucopyranosyl isothiocyanate 626(1992)187
Jackson, P. E., see Krol, J. 626(1992)165
Janjić, T. J., Živković, V., Vučković, G. and Čelap, M. B.
Salting-out thin-layer chromatography of transition metal complexes. II. Mixed aminocarboxylatocobalt(III) complexes on a polyacrylonitrile sorbent 626(1992)305
Jansson, M., Emmer, Å., Roeraade, J., Lindberg, U. and Hök, B.
Micro vials on a silicon wafer for sample introduction in capillary electrophoresis 626(1992)310
Jenkins, T. J., Kaplan, M., Davidson, G., Healy, M. A. and Poliakoff, M.
Dramatic advances in on-line Fourier transform IR detection for capillary supercritical fluid chromatography 626(1992)53
Kaplan, M., see Jenkins, T. J. 626(1992)53
Kataoka, H., Nagao, K., Nabeshima, N., Kiyama, M. and Makita, M.
Selective determination of secondary amino acids as their N-dimethylthiophosphoryl methyl ester derivatives by gas chromatography with flame photometric detection 626(1992)239
Kawashima, Y., see Ito, S. 626(1992)187
Kažoka, H. A. and Shatz, V. D.
High-performance liquid chromatography of some purine and pyrimidine derivatives on silica in formamide–ethyl acetate mobile phases 626(1992)181
Kearney, G. A., see Glennon, J. D. 626(1992)277
Kientz, C. E., Verweij, A., De Jong, G. J. and Brinkman, U. A. T.
Flame-based thermionic detection coupled on-line with microcolumn liquid chromatography. I. Optimization of the system 626(1992)59
Kientz, C. E., Verweij, A., De Jong, G. J. and Brinkman, U. A. T.
Flame-based thermionic detection coupled on-line with microcolumn liquid chromatography. II. Characterization of the system 626(1992)71
Kitts, D. D., see Aoyama, R. G. 626(1992)271
Kiyama, M., see Kataoka, H. 626(1992)239
Konečný, K., see Koutek, B. 626(1992)215
Koutek, B., Hoskovec, M., Konečný, K. and Vrkoč, J.
Gas chromatographic determination of vapour pressures of pheromone-like acetates 626(1992)215
Krol, J., Alden, P. G., Morawski, J. and Jackson, P. E.
Ion chromatography of alkylamines and alkanolamines using conductivity detection 626(1992)165
Kuhn, A. O., see Huynh, T. K. X. 626(1992)301
Kwakkenbos, G. T. C., see Van Leuken, R. G. J. 626(1992)81
Langer, S. H., see Deng, Z. 626(1992)159
Lederer, M., see Huynh, T. K. X. 626(1992)301
Lercker, G., see Bortolomeazzi, R. 626(1992)109
Liebich, H. M., Gesele, E., Wahl, H. G., Wirth, C., Wöll, J. and Hušek, P.
Identification of side-products formed by derivatization of 2-hydroxycarboxylic acids with methyl and ethyl chloroformate 626(1992)289
Liem, A. K. D., see Van der Velde, E. G. 626(1992)135
Lindberg, U., see Jansson, M. 626(1992)310
Liu, X., see Lou, X. 626(1992)231
Lores, M., see Cela, R. 626(1992)117
Lou, X., Liu, X., Zhu, D., Wang, Q. and Zhou, L.
Investigation of the effect of acylation on the enantiomeric separation of amino acid isopropyl esters by gas chromatography 626(1992)231
Lu, H. H., see Tsai, E. W. 626(1992)245
Makita, M., see Kataoka, H. 626(1992)239
Maloň, P., see Plešek, J. 626(1992)197
McErlane, K. M., see Aoyama, R. G. 626(1992)271
Mentasti, E., see Sarzanini, C. 626(1992)151
Modin, R., see Castledine, J. B. 626(1992)127
Mondini, R., see De Paoli, M. 626(1992)145
Morawski, J., see Krol, J. 626(1992)165
Nabeshima, N., see Kataoka, H. 626(1992)239
Nagao, K., see Kataoka, H. 626(1992)239
Nakashima, K., see Akiyama, S. 626(1992)266
Nesterenko, P. N.
New developments in ion exchange —materials, fundamentals and applications (edited by M. Abe, T. Kataoka and T. Suzuki) (Book Review) 626(1992)315
Ogorka, J., Schwinger, G., Bruat, G. and Seidel, V.
On-line coupled reversed-phase high-performance liquid chromatography–gas chromatography–mass spectrometry. A powerful tool for the identification of unknown impurities in pharmaceutical products 626(1992)87
Ota, A., see Ito, S. 626(1992)187
Persson, P., see Dalene, M. 626(1992)284
Pezzoni, A., see De Paoli, M. 626(1992)145
Pizzale, L., see Bortolomeazzi, R. 626(1992)109
Plešek, J., Grüner, B. and Maloň, P.
Liquid chromatographic resolution of enantiomers of deltahedral carborane and metallaborane derivatives 626(1992)197
Poliakoff, M., see Jenkins, T. J. 626(1992)53
Qin, X.-Z., Ip, D. P. and Tsai, E. W.
Determination and rotamer separation of enalapril maleate by capillary electrophoresis 626(1992)251
Roeraade, J., see Jansson, M. 626(1992)310
Rosset, R., see Thiébaut, D. 626(1992)41
Sacchero, G., see Sarzanini, C. 626(1992)151
Sarzanini, C., Sacchero, G., Aceto, M., Abollino, O. and Mentasti, E.
Simultaneous determination of methyl-, ethyl-, phenyl- and inorganic mercury by cold vapour atomic absorption spectrometry with on-line chromatographic separation 626(1992)151

Schwinger, G., see Ogorka, J. 626(1992)87
Seidel, V., see Ogorka, J. 626(1992)87
Sellberg, B., see Castledine, J. B. 626(1992)127
Shatz, V. D., see Kažoka, H. A. 626(1992)181
Shepherd, M. J., see Chappell, C. G. 626(1992)223
Singh, M. M., see Tsai, E. W. 626(1992)245
Skarping, G., see Dalene, M. 626(1992)284
Smits, R.
Preface 626(1992)1
Srijaranai, S., see Glennon, J.D. 626(1992)277
Thiébaut, D. and Rosset, R.
Hydrodynamic and hydrostatic high-speed countercurrent chromatography and its coupling with various kinds of detectors (Review). Application to biochemical separations 626(1992)41
Tsai, E. W., see Qin, X.-Z. 626(1992)251
Tsai, E. W., Singh, M. M., Lu, H. H., Ip, D. P. and Brooks, M. A.
Application of capillary electrophoresis to pharmaceutical analysis. Determination of alendronate in dosage forms 626(1992)245
Valentino, A., see De Paoli, M. 626(1992)145
Van der Velde, E. G., De Haan, W. and Liem, A. K. D.
Supercritical fluid extraction of polychlorinated biphenyls and pesticides from soil. Comparison with other extraction methods 626(1992)135
Van Leuken, R. G. J. and Kwakkenbos, G. T. C.
Chemical ionization with gaseous ammonia for normal-phase liquid chromatographic–thermospray mass spectrometric applications 626(1992)81
Verweij, A., see Kientz, C. E. 626(1992)59
Verweij, A., see Kientz, C. E. 626(1992)71
Vrkoč, J., see Koutek, B. 626(1992)215
Vučković, G., see Janjić, T. J. 626(1992)305
Wahl, H. G., see Liebich, H. M. 626(1992)289
Wang, Q., see Lou, X. 626(1992)231
Wirth, C., see Liebich, H. M. 626(1992)289
Wöll, J., see Liebich, H. M. 626(1992)289
Yamada, K., see Akiyama, S. 626(1992)266
Yamamoto, K., see Ito, S. 626(1992)187
Zhang, J. Z., see Deng, Z. 626(1992)159
Zhou, L., see Lou, X. 626(1992)231
Zhu, D., see Lou, X. 626(1992)231
Živković, V., see Janjić, T. J. 626(1992)305